Application No.: 10/821812 Docket No.: SION-P01-001

REMARKS

The application, as originally filed, claimed priority to and incorporated by reference U.S. Provisional Patent Application No. 60/530,518, filed December 18, 2003.

A first preliminary amendment was filed on June 17, 2004 that changed the priority reference from U.S. Provisional Patent Application No. 60/530,518 to U.S. Provisional Patent Application No. 60/530,815 because the Applicant improperly believed the originally-filed provisional application number to be incorrect due to a typographical error in the serial number.

This second preliminary amendment is being filed to reinstate the originally-filed priority reference to U.S. Provisional Patent Application No. 60/530,518. This amendment is being submitted within sixteen months from the filing date of U.S. Provisional Application No. 60/530,518 in accordance with 37 C.F.R. § 1.78 (a)(5). No new matter is introduced because U.S. Provisional Patent Application No. 60/530,518 was incorporated by reference when the application was originally filed.

Applicant believes no fee is due with this response. However, if a fee is due, please charge our Deposit Account No. 18-1945, under Order No. SION-P01-001 from which the undersigned is authorized to draw.

Dated: October 12, 2004

Respectfully submitted,

Wolfgang E. Stutius

Registration No.: 40,256

ROPES & GRAY LLP

One International Place

Boston, Massachusetts 02110-2624

(617) 951-7000

3

(617) 951-7050 (Fax)

Attorneys/Agents For Applicant